

---

**MOTOR**

---

<b>PRODUCT SERIES</b>	BE - AC IE2 Three Phase Motor
<b>FRAME SIZE</b>	71B - Motor Size 71B
<b>POLE NUMBER</b>	4 - 4 Poles
<b>VOLTAGE-FREQUENCY</b>	230/400-50 - 230 [V] $\Delta$ - 400 [V] Y 50 [Hz]
<b>DEGREE OF PROTECTION</b>	IP55 - Standard and Brake Motors
<b>INSULATION CLASS</b>	CLF - Standard Insulation Class
<b>MOUNTING</b>	B5 - B5 Motor Mounting Flange

---

**TECHNICAL DATA**


---

<b>Measurement Internat. System</b>	METRIC
<b>Frequency [Hz]</b>	50
<b>n Motor Speed [min-1]</b>	1385
<b>Mn Motor Nominal Torque [Nm]</b>	2.6
<b>Tn Motor Nom. Torque [lb-in]</b>	22.6
<b><math>\eta_{100}</math> Efficiency 100% [%]</b>	72.70%
<b><math>\eta_{75}</math> Efficiency 75% [%]</b>	69.30%
<b><math>\eta_{50}</math> Efficiency 50% [%]</b>	64.20%
<b>In 230V Nomin.Curren.@ 230V[A]</b>	N/A
<b>Cos<math>\varphi</math></b>	0.75
<b>Pn Motor Nominal Power [kW]</b>	0.37
<b>Pn Motor Nominal Power [Hp]</b>	0.5
<b>Pn-60 Motor Nominal Power [kW]</b>	0.37
<b>Pn-60 Motor Nominal Power [Hp]</b>	0.5
<b>In Nominal Current [A]</b>	1.82/1.05
<b>KVA code</b>	G
<b>Motor Weight [kg]</b>	5.9
<b>Mn Motor Nom. Torque 60Hz [Nm]</b>	2.1
<b>Tn Mot. Nom.Torq. 60Hz [lb-in]</b>	18.2